

mesohyal™ | The mesohyal™ range

Protocol

Photoaging

mesohyal™ NCTC 109
mesohyal™ VITAMIN C

area	Global
nº sessions	5
technical	Nappage
Mixture	5 ml NCTC 109 + 2,5 ml mesohyal Vitamin C
depth	1 – 2,5 mm
session timing interval	15 days
objective	global face rejuvenation & brightening
Ingredients' action	vitamin C (depigmentation), vitamins (biorevitalization), a.a. (protein synthesis), mineral salts (antiaging), hyaluronic ac. (hydration)



mesohyal™ | The mesohyal™ range

Protocol

Dehydration and flaccidity

mesohyal™ HYALURONIC

mesohyal™ ORGANIC SILICON

area	Global
nº sessions	5
technical	nappage
mixture	3 ml mesohyal Hyaluronic + 2,5 ml mesohyal Organic Silicon
depth	1 – 2,5 mm
session timing interval	3-4 weeks
objective	hydration, restructuring and redensification
Ingredients' action	silicon (collagen synthesis), hyaluronic ac. (hydration)



mesohyal™ | The mesohyal™ range

Protocol

Flaccidity

mesohyal™ X-DNA
mesohyal™ DMAE

area	global
nº sessions	5
technical	nappage
mixture (2 patients)	3 ml mesohyal X-DNA + 2,5 ml mesohyal DMAE
depth	1 – 2,5 mm
session timing interval	3-4 weeks
objective	Hydration, elasticity and tighten the skin
Ingredients' action	deoxyribonucleotide (collagen synthesis & hydration), DMAE (tightening)



Scalp

Alopecia

mesohyal™ BIOTIN
mesohyal™ NCTC 109



area	scalp
nº sessions	(1 each 15 days (2 first months)) + 1 each 30 days (2 next months)). Total:7
technical	nappage
mixture	2 ml Biotin + 2,5 ml NCTC
depth	1 – 4 mm
session timing interval	15 days / 1 month
objective	Slow hair fall. Generate new hair
Ingredients' action	Biotin (increase micro circulation), vitamins (improve hair fiber quality)

Blepharo

Dehydration, flaccidity and hyperpigmentation

mesohyal™ DMAE
mesohyal™ VITAMIN
C

area	blefaro
nº sessions	5
technical	nappage
mixture ratio	1:1
volume	0,5 - 0,8 ml (each blefaro)
depth	0,3 – 0,5 mm
session timing interval	15 days
objective	tightening, depigmentation, hydration
Ingredients' action	DMAE (tightening), vitamin C (depigmentation), hyaluronic ac. (hydration)



Upper lip

Wrinkles and dehydration

mesohyal™ X-DNA
mesohyal™ NCTC 109



area	upper lip
n° sessions	5
technical	nappage & papule
mixture ratio	1:1
volume	1,5 – 2 ml
depth	1 – 1,5 mm
session timing interval	15 days
objective	Upper lip wrinkles reduction
Ingredients' action	deoxyribonucleotide (tighten & collagen synthesis), vitamins (biorevitalization), a.a. (protein synthesis), mineral salts (antiaging), hyaluronic ac. (hydration)

Preauricular Flaccidity

mesohyal™ HYALURONIC
mesohyal™ X-DNA

area	preauricular
nº sessions	5
technical	point by point
mixture ratio	1:1
volume	1,5 – 2 ml
depth	1 – 2,5 mm
session timing interval	15 days
objective	redensify and tighten the skin of the face
Ingredients' action	hyaluronic ac. (hydration), deoxyribonucleotide (tighten & collagen synthesis)



mesohyal™ | The effective suggestions based on evidence

Hip fat

Compact cellulite

mesohyal™ CARNITINE
mesohyal™ MELILOT

mesohyal™ DMAE
mesohyal™ ORGANIC SILICON



area	hip
n° sessions	10
technical	point by point
mixture ratio	session 1 to 5 : CARNITINE, O.SILICON, MELILOT (1:1:1) session 6 to 10: MELILOT, O. SILICON, DMAE (1:1:1)
volume	12 ml
depth	2 – 4 mm
session timing interval	7 days
objective	lipolysis and tightening
Ingredients' action	carnitine, artichoke, melilot (lipolysis), silicon (collagen synthesis), DMAE (tightening)

Abdomen fat

Soft cellulite

mesohyal™ ARTICHOKE

mesohyal™ CARNITINE

mesohyal™ MELILOT

mesohyal™ DMAE

mesohyal™ ORGANIC SILICON



area	abdomen
n° sessions	10
technical	point by point
mixture ratio	session 1 to 5 : MELILOT, ARTICHOKE or CARNITINE, O. SILICON (1:1:1) session 6 to 10: MELILOT, O. SILICON, DMAE (1:1:1)
volume	12 ml
depth	2 – 4 mm
session timing interval	7 days
objective	lipolysis and tightening
Ingredients' action	artichoke, carnitine, melilot (lipolysis), silicon (collagen synthesis). DMAE (tightening)

Legs fat

Edematous cellulite

mesohyal™ MELILOT
mesohyal™ ARTICHOKE
mesohyal™ CARNITINE

mesohyal™ DMAE
mesohyal™ ORGANIC SILICON



area	abdomen
n° sessions	10
technical	point by point
mixture ratio	session 1 to 5 : MELILOT, ARTICHOKE, CARNITINE or O. SILICON, (1:1:1) session 6 to 10: MELILOT, ARTICHOKE, DMAE (1:1:1)
volume	12 ml
depth	2 – 4 mm
session timing interval	7 days
objective	lipolysis and tightening
Ingredients' action	artichoke, carnitine, melilot (lipolysis), silicon (collagen synthesis). DMAE (tightening)